

## RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/048,033A  
Source: 1Fw16  
Date Processed by STIC: 1/19/07

# ENTERED



IFW16

RAW SEQUENCE LISTING DATE: 01/19/2007  
PATENT APPLICATION: US/10/048,033A TIME: 16:36:22

Input Set : E:\096925-0601seq.txt  
Output Set: N:\CRF4\01192007\J048033A.raw

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/048,033A

DATE: 01/19/2007

TIME: 16:36:22

Input Set : E:\096925-0601seq.txt  
Output Set: N:\CRF4\01192007\J048033A.raw

68 <220> FEATURE:  
69 <223> OTHER INFORMATION: antisense primer corresponding to bases 2937-2955  
71 <400> SEQUENCE: 4  
72 ctccctgcttg ctgatccac 19  
75 <210> SEQ ID NO: 5  
76 <211> LENGTH: 26  
77 <212> TYPE: DNA  
78 <213> ORGANISM: Artificial  
80 <220> FEATURE:  
81 <223> OTHER INFORMATION: sense primer used for PCR amplification  
83 <400> SEQUENCE: 5  
84 cggaagcttg agccgcgtcc gcccga 26  
87 <210> SEQ ID NO: 6  
88 <211> LENGTH: 26  
89 <212> TYPE: DNA  
90 <213> ORGANISM: Artificial  
92 <220> FEATURE:  
93 <223> OTHER INFORMATION: antisense primer used for PCR amplification  
95 <400> SEQUENCE: 6  
96 gaaggtaccc taaacagcca tttcca 26

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 01/19/2007  
PATENT APPLICATION: US/10/048,033A TIME: 16:36:23

Input Set : E:\096925-0601seq.txt  
Output Set: N:\CRF4\01192007\J048033A.raw

### Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete, per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:1,2,3,4,5,6

**VERIFICATION SUMMARY**  
PATENT APPLICATION: US/10/048,033A

DATE: 01/19/2007  
TIME: 16:36:23

Input Set : E:\096925-0601seq.txt  
Output Set: N:\CRF4\01192007\J048033A.raw